



HJM Electronics

Instrumentation for the Water-Treatment Industry

Tel: +27+ (0)11 452-2066 E-mail: info@hjmelectronics.co.za

Website: www.hjmelectronics.co.za

1st September 2021 PRICE LIST, (Rev1C)

Please indicate stock code when ordering.

ALL PRICES ARE EXCLUSIVE OF VAT.

CODE	MODEL	DESCRIPTION	LIST PRICE
<u>1) pH CONTROL SYSTEMS</u>			
PH326	Model 51 pH	pH CONTROLLER, 2xDOSING, 2xALARM OUTPUTS, 4-20mA	10500.00
PH361	Model 61 pH	pH CONTROLLER, 1x Prop.Pulse, On/Off output, 4-20mA	9000.00
PH361NB	Model 61 pH	pH CONTROLLER, NO BOX	8000.00
<u>PRICES EXCLUDES pH PROBE!</u>			
<u>2) ORP/mV CONTROL SYSTEMS</u>			
MV326	Model 51 mV	mV CONTROLLER, 2xDOSING, 2xALARM OUTPUTS, 4-20mA	10500.00
mV361	Model 61 mV	mV CONTROLLER, 1x Prop.Pulse or On/Off output, 4-20mA	9000.00
mV361NB	Model 61 mV	mV CONTROLLER, NO BOX	8000.00
<u>PRICES EXCLUDES ORP/mV PROBE!</u>			
<u>3) MODEL 11EC CONDUCTIVITY CONTROL SYSTEMS</u>			
C778	Model 11EC	CONDUCTIVITY CONTROLLER, 0-20 mS/cm (use CSP-C)	6300.00
C779	Model 11EC	CONDUCTIVITY CONTROLLER, 0-10 mS/cm (use CSP-C)	6300.00
C704	Model 11EC	CONDUCTIVITY CONTROLLER, 0-5000 µS/cm (use CSP-C)	6300.00
C784	Model 11EC	CONDUCTIVITY CONTROLLER, 0-2500 µS/cm (use CSP-C)	6300.00
C782	Model 11EC	CONDUCTIVITY CONTROLLER, 0-1000 µS/cm (use CSP-C)	6300.00
C783	Model 11EC	CONDUCTIVITY CONTROLLER, 0-500 µS/cm (use CSP-C)	6300.00
C714	Model 11EC	CONDUCTIVITY CONTROLLER, 0-250 µS/cm (use CSP-C or CSP-Ti-01)	6300.00
C785	Model 11EC	CONDUCTIVITY CONTROLLER, 0-100 µS/cm (use CSP-Ti-01)	6300.00
C786	Model 11EC	CONDUCTIVITY CONTROLLER, 0-50 µS/cm (use CSP-Ti-01)	6300.00
C787	Model 11EC	CONDUCTIVITY CONTROLLER, 0-25 µS/cm (use CSP-Ti-01)	6300.00
C789	Model 11EC	CONDUCTIVITY CONTROLLER, 0-10 µS/cm (use CSP-Ti-01)	6300.00
C790	Model 11EC	CONDUCTIVITY CONTROLLER, Non-Standard Range	6300.00
C706	Model 11EC-L	CONDUCTIVITY CONTR. 0-1000 µS/cm, LOW (use CSP-C or CSP-Ti)	6300.00
C708	Model 11EC-L	CONDUCTIVITY CONTR. 0-500 µS/cm, LOW (use CSP-C or CSP-Ti)	6300.00
C798	Model 11EC	CONDUCTIVITY CONTROLLER, 0-5000 µS/cm, NO BOX (use CSP-C)	5400.00
C781	Model 11EC	CONDUCTIVITY CONTROLLER, 0-2500 µS/cm, NO BOX (use CSP-C)	5400.00
<u>ALL CONTROLLER PRICES EXCLUDE PROBE!</u>			
<u>4) Model22 BOILER CONDUCTIVITY CONTROL SYSTEM</u>			
C312	Model22	BOILER BLOW-DOWN CONTROLLER, 0-5000 µS/cm (Standard range)	11000.00
<u>PRICE FOR MODEL22 ONLY!</u>			
C318	CE-4M	"TARGET" CE-4M BOILER PROBE FOR CS2/Model22	1900.00
C05	5mm	Orifice Plate 5mm, 1/2" union	560.00
G611	FIG12	1/2" Fitting for CE-4M Probe *	1100.00
SOL1	SOLS015	15mm Steam Solenoid Valve 220Vac N/C *	3100.00

*NOTE = imported items, price depends on cost

29/08/2021

Sep-21

PAGE 1



HJM Electronics

Instrumentation for the Water-Treatment Industry

Tel:+27+ (0)11 452-2066 E-mail: info@hjmelectronics.co.za

Website: www.hjmelectronics.co.za

1st September 2021 PRICE LIST, (Rev1C)

Please indicate stock code when ordering.

ALL PRICES ARE **EXCLUSIVE** OF VAT.

CODE	MODEL	DESCRIPTION	LIST PRICE
<u>5) MODEL 31EC CONDUCTIVITY CONTROL SYSTEMS</u>			
C668	Model31	CONDUCTIVITY CONTROLLER, 0-10 mS/cm (use <u>CSP-C</u>)	8800.00
C662	Model31	CONDUCTIVITY CONTROLLER, 0-5000 µS/cm (use <u>CSP-C</u>)	8800.00
C613	Model31	CONDUCTIVITY CONTROLLER, 0-2500 µS/cm (use <u>CSP-C</u>)	8800.00
C653	Model31	CONDUCTIVITY CONTROLLER, 0-1000 µS/cm (use <u>CSP-C</u>)	8800.00
C654	Model31	CONDUCTIVITY CONTROLLER, 0-500 µS/cm (use <u>CSP-C</u>)	8800.00
C655	Model31	CONDUCTIVITY CONTROLLER, 0-250 µS/cm (use <u>CSP-C</u> or <u>CSP-Ti-01</u>)	8800.00
C656	Model31	CONDUCTIVITY CONTROLLER, 0-100 µS/cm (use <u>CSP-Ti-01</u>)	8800.00
C657	Model31	CONDUCTIVITY CONTROLLER, 0-50 µS/cm (use <u>CSP-Ti-01</u>)	8800.00
C658	Model31	CONDUCTIVITY CONTROLLER, 0-25 µS/cm (use <u>CSP-Ti-01</u>)	8800.00
C659	Model31	CONDUCTIVITY CONTROLLER, 0-10 µS/cm (use <u>CSP-Ti-01</u>)	8800.00
C666	Model31	CONDUCTIVITY CONTROLLER, 0-5 µS/cm (use <u>CSP-Ti-01</u>)	8800.00
C661NB	Model31	CONDUCTIVITY CONTROLLER, 0-5000 µS/cm, NO BOX (use <u>CSP-C</u>)	POA
C613NB	Model31	CONDUCTIVITY CONTROLLER, 0-2500 µS/cm, NO BOX (use <u>CSP-C</u>)	POA
C610NB	Model31	CONDUCTIVITY CONTROLLER, 0-1000 µS/cm, NO BOX (use <u>CSP-C</u>)	POA
C660	Model31	CONDUCTIVITY CONTROLLER, Non Standard Range	11000.00
<u>ALL CONTROLLER PRICES EXCLUDE PROBE!</u>			
<u>6) CONDUCTIVITY PROBES + CABLES</u>			
C400	CSP-C	STANDARD CARBON Conductivity Probe, 3/4" BSP with <u>7m</u> detachable cable, 0-80 Degrees Celsius	1060.00
C405	CSP-C-H	High Temperature Carbon Probe, 3/4" BSP with <u>7m</u> detachable cable, 0-90 Degrees Celsius	1100.00
C401	CSP-Ti-01	TITANIUM Probe, 3/4"BSP, Cell Constant 0.1 with <u>5m</u> detachable cable, 0-70 Degrees Celsius	1400.00
C406	CSP-Ti-001	TITANIUM Probe, 3/4"BSP, Cell Constant 0.01 with <u>5m</u> detachable cable, 0-70 Degrees Celsius	1700.00
C318	CE-4M	"TARGET" CE-4M BOILER PROBE FOR CS2/Model22	1900.00
<u>7) SPARE CONDUCTIVITY PROBE CABLES</u>			
C423	SC5	SPARE 5m CABLE+PLUG	180.00
C424	SC7	SPARE 7m CABLE+PLUG (Standard length)	200.00
C425	SC10	SPARE 10m CABLE+PLUG	220.00
C427	SC15	SPARE 15m CABLE+PLUG	340.00
C426	SC17	SPARE 17m CABLE+PLUG	360.00
C428	SC30	SPARE 30m CABLE+PLUG	540.00
C250	ECM	EXTRA CABLE PER METER, NON STANDARD	24.00

Sep-21



HJM Electronics

Instrumentation for the Water-Treatment Industry

Tel: +27+ (0)11 452-2066 E-mail: info@hjmelectronics.co.za

Website: www.hjmelectronics.co.za

1st September 2021 PRICE LIST, (Rev1C)

Please indicate stock code when ordering.

ALL PRICES ARE **EXCLUSIVE** OF VAT.

CODE	MODEL	DESCRIPTION	LIST PRICE
8) C8 PORTABLE CONDUCTIVITY/TDS METER			
Auto-ranging Microprocessor-controlled Conductivity Tester.			
G505	C8	PORTABLE uS/TDS METER, 2-10'000 µS/cm (2-7000 TDS) Note1*	2200.00
BAT9V	6F22	ENERGIZER 9V BATTERY Note1*	80.00
9) CT6 CONDUCTIVITY TESTER			
The CT6 is a Microprocessor-controlled Conductivity Tester.			
C463	CT6	CONDUCTIVITY TESTER + 10mm PROBE, 1-50 uS (Standard)	1500.00
C464	CT6	CONDUCTIVITY TESTER + 10mm PROBE, 2-199 uS	1500.00
C466	CT6-S	CONDUCTIVITY TESTER + 10mm PROBE, 1-50uS, (No Label/Box)	1300.00
C465	CT6-P	CT6 CONDUCTIVITY PROBE, 10mm	740.00
C435	JUS	CT6-JUSB05D/1, AC/DC ADAPTOR 12V/500mA	280.00
10) OTHER PRODUCTS AND SERVICES			
T001	TP-01	10K NTC Temperature Sensor 3/4", 0-100 °C, 7m Cable	1000.00
G614	REPAIR C8	MINIMUM CHARGE PER ITEM, (C6,C7 & C8 TDS Meter)	200.00
G619	REPAIRS	MINIMUM CHARGE PER ITEM, (ALL OTHER INSTRUMENTS)	700.00
G620	QUOTE	WRITTEN QUOTATION to repair instruments (PER ITEM) (Will be refunded if order is placed)	400.00
MG158-1	WG158-1	Water Guard Moisture Control Sachet, fitted	80.00
MG158-2	WG158-2	Water Guard Moisture Control Sachet, Packet of 2	140.00
T001	TP-01	10K NTC Temperature Sensor 3/4", 0-100 °C,7m Cable	1000.00
pH7	pH7.00	pH 7.00 Buffer Solution, 500mL Note 1 & 2*	160.00
pH4	pH4.00	pH 4.00 Buffer Solution, 500mL Note 1 & 2*	160.00
C1413	1413µS	1413µS/cm Cuductivity Standard Solution, 500mL Note 1 & 2*	220.00
BF01	Descale	Biofusion Descale for C8, 100ml spray-bottle Note 1 & 2*	60.00
Note 1*= Road freight only!			
Note 2*= Existing stock only, will be discontinued!			

29/08/2021

Prices valid until further notice.

Sep-21

PAGE 3